



---

**Tube Enterprises Incorporated dba Integrity Medical Solutions Inc**

**Manufacturer / Supplier of Emergency Preparedness & Response Equipment Solutions**



2020


*Equal and compassionate care for our most at risk populations*

## **Foreword**

Tube Enterprises Incorporated dba Integrity Medical Solutions, Inc (IMS) has been manufacturing the Westcot product line of Emergency Shelter Cots and accessories for more than 15 years with an average labor force of 32 individuals. Through the years IMS managing partners have developed advanced engineering knowledge in relation to the design and functionality of emergency shelter Westcots. Westcots are typically used during mass evacuation preparedness and response operations. Westcot has long been synonymous with quality, dependability, and integrity.

## **Mission Statement**

IMS is compassionate about providing equal care for at risk populations, regardless of any individual's physical or cognitive ability challenges, irrespective of the given facility or environment. IMS improves access to temporary shelters by enabling functional support for those requiring a higher level of care and also provides higher comfort levels for the Responders tasked with organizing and operating the temporary shelters.



**Tube Enterprises, Inc. dba Integrity Medical Solutions, Inc.**

**TID #: 20-1590871 / 20-4604067**

**704.692.5417 (M)**

**855.505.9267 (TF)**

**SALES@INTEGRITYMEDICALSOLUTIONS.COM**

**IMS4BEDS.COM**

**DUNS # 144934929**

**CAGE CODE # 8A0Q5**

Preparedness focuses on preparing equipment and procedures for use when a disaster occurs. This equipment and these procedures can be used to reduce vulnerability to disaster, to mitigate the impacts of a disaster or to respond more efficiently in an emergency.

(Emergency Preparedness, n.d)

# WCFNC



## Dimensions / Pack Out

- 42 x 32 x 8" (Stored)
- 80 x 32 x 18" (Deployed)
- 29 lb. Curb Weight
- 450 lb. Working Capacity
- 42 x 34 x 13.75" (Carton: Qty 2)
- 12 per pallet 40 x 48 x 82" @ 435 lbs.



FL Pasco County DOH Stand Alone Shelter 2019

## Westcot Functional Needs Cot

### Application

- Functional Needs Support
- Mass Care
- Surge Capacity
- Physical/Cognitive Ability Challenges
- Medical Shelters
- General Population (Post Katrina Emergency Management Reform Act)

### Safety

- ADA Compliant
- FNSS Recommended
- 450 Lb. Working Capacity
- Friction Welded Tubular Ends
- Heavy Duty Leg Locks
- Reinforced/Antimicrobial Vinyl Coated Decking
- Antimicrobial Soil/Resistant Triple Layer Vinyl Mattress
- Easy to Decontaminate
- Exceed FED STD 1633 for Flammability Rating
- Anti-Tilt stabilizing design prevents tipping
- Safety and Instructional Labeling

### Superior Functionality

- Five Position Locking Head Elevator
- Two Position Foot Elevator
- Convolute Foam Mattress
- Wheelchair Transferrable Height (18")
- Spring and Deck Design (Reduces Bed Soars)
- Lightweight Rust Proof Aluminum Frame
- Stores Securely for Rapid Deployment
- Wide Security Belt

### Options

- Optional Stow on Board Safety Rails
- Optional Stow On Board IV Pole
- Optional Non-Slip Leg Wraps



# WCATFNC8P



*No matter what your population concern, Westcot provides solutions*

The Westcot All Terrain Functional Needs Cot 8 Person offering is a Rapid Deployment System designed to assist Response Agencies with the deployment of essential Functional Needs Cots and equipment to nearly any environment. The Westcot AT8 heavy-duty deployment cart outfitted with four foam filled pneumatic all-terrain casters allows for fluid movement and zero deflation concerns. Two of the all-terrain casters afford high strength locking systems which increase operational safety.

There are eight Westcot Functional Needs Cots (WCFNC) paired inside of four Westcot Rapid Deployment Bags (WCRDBW2). The WCFNCs are designed to provide equal care for Special Needs Survivors of Natural Disasters by providing functional head and leg elevation as well as stow on board IV poles, Safety Rails, and a set of Disposable Linen packed inside of each WCFNC. The WCRDBW2 were designed to reduce Responder injury, increase deployment efficiency, and protect your Westcot investment. The whole package is covered in a Triple Layer Vinyl which is antimicrobial, soil resistant, and puncture resistant.

WCATFNC8P Dimensions / Total Loaded Weight: 39 x 43 x 74" / 466 Lbs.

WCFNCs Dimensions / Weight – 80 x 32 x 18" (Capacity 450 Lbs.) / 40 x 34 x 8" (33 Lbs. Each)

WCRDBW2 – Fits Two WCFNCs – enables proper lifting and rapid deployment

WCDLP – 1 Fitted Sheet, 1 Flat Sheet, 1 Blanket, 1 Pillow Case, 1 Pillow packed inside of each cot

*Warranty & Performance Guarantee*

Post-Katrina Emergency Management Reform Act (PKEMRA) requires that children and adults with and without disabilities who have access and functional needs must be able to access the same programs and services as the general population.

(FNSS Guidance page 10)

## WESTCOT EMERGENCY DISASTER SURVIVOR

### Application

- Functional Needs Support
- Mass Care
- Surge Capacity
- Special Needs
- Medical Shelters
- General Population (PKEMRA)

### Safety

- ADA Compliant
- FNSS Recommended
- 450 Lb. Working Capacity
- Friction Welded Tubular Ends
- Heavy Duty Leg Locks
- Reinforced/Antimicrobial Vinyl Coated Decking
- Antimicrobial Soil/Resistant Triple Layer Vinyl Mattress
- Easy to Decontaminate
- Exceed FED STD 1633 for Flammability Rating
- Anti-Tilt stabilizing design prevents tipping
- Safety and Instructional Labeling

### Superior Functionality

- Five Position Locking Head Elevator
- Convolved Foam Mattress
- Wheelchair Transferrable Height (18")
- Spring and Deck Design (Reduces Bed Soars)
- Lightweight Rust Proof Aluminum Frame
- Stores Securely for Rapid Deployment

### Options


- Optional Stow on Board Safety Rails
- Optional Stow On Board IV Pole
- Optional Non-Slip Leg Wraps
- Optional Disposable Linen Pack
- WCR10A Storage Cart / Holds 10 WCFNC

# WCEDS



### Dimensions

42 x 32 x 8" (Stored)  
80 x 32 x 18" (Deployed)  
28 Lb. Curb Weight  
450 Lb. Working Capacity  
42 x 34 x 13.75" (Carton / Stores 2)







# WCAPC

## Application

- Field Medical Hospitals & Surge Capacity

## Safety

- ADA Compliant
- FNSS Recommended
- 450 Lb. Working Capacity
- Friction Welded Tubular Ends
- Heavy Duty Leg Locks
- Reinforced/Antimicrobial Vinyl Coated Decking
- Antimicrobial Soil/Resistant Triple Layer Vinyl Mattress
- Easy to Decontaminate
- Exceed FED STD 1633 for Flammability Rating
- Anti-Tilt stabilizing design prevents tipping
- Safety and Instructional Labeling

## Superior Functionality

- Five Position Locking Head Elevator
- Two Position Foot Elevator
- Convolute Foam Mattress
- Operating/Procedure Height (28")
- Spring and Deck Design (Reduces Bed Soars)
- Lightweight Rust Proof Aluminum Frame
- Stores Securely for Rapid Deployment
- Wide Security Belt

## Options

- Optional Non-Slip Leg Wraps
- Optional Disposable Linen Pack
- WCR8A Storage Cart / Holds 8 WCAPC

We have used different models of the WestCot since 2005. Initially with the NC response to Waveland MS following the aftermath of Hurricane Katrina. Since we have used the cots on several mission deployments. They have held up to countless patient contacts as well as responder handling during set-up and demobilization. The cots have also been used to sleep staff on deployments and in facilities during responses. The cots are durable and have held up to the abuse of deployments that far exceeds its competitors. IMS is a great company to work with and their customer service is excellent. Anytime that we have had a request for parts or suggestion for improvement, IMS has listened and responded to the call. We will continue to do business with IMS in the foreseeable future.

(Chris Starbuck, MSN, RN, EMT-P)

## Active Patient Care



## Bariatric Special Needs (WCBSN)

### Dimensions

42 x 38 x 7" (Stored)  
82 x 38 x 22" (Deployed)  
42 Lb. Weight  
700 Lb. Working Capacity



### Safety

Exceeds IMS Settle Load Testing at 5,000 Cycles (x 750 Lbs.)  
Friction Welded (Spun) Tubular Ends  
Heavy Duty Leg Locks  
Reinforced Vinyl Coated Decking  
Wide Patient Restraint Belt  
Antimicrobial Soil Resistant Triple Layer Vinyl Mattress  
Antimicrobial Soil Resistant Decking Material  
Easy to Decontaminate  
All Materials Exceed FED STD 1633 for Flammability  
Anti-Tilt stabilizing design prevents tipping  
ADA Compliant  
Safety and Instructional Labeling

### Comfort & Client Benefits

2" Convoluted Foam Mattress  
Heavy Duty Head Elevator  
Customizable Sleeping Surface  
Easy Entry Height of 22"  
Spring and Deck Design Reduces Bed Soars  
Combined Spring Stretch Resistance of 9,576 Lbs.

### Convenience

Lightweight Rust Proof Aluminum Frame  
Stores Securely for Rapid Deployment  
Elevate Client's Upper Body  
Optional Safety Rails  
Optional Stow On Board IV Pole

### Application

Above Average Size and/or Weight Shelter Clients,  
Pregnant Woman Comfort, & Functional Support Req.



## WCBSN5



Extreme obesity (defined as a body mass index > 40) is associated with serious physiological and psychological co-morbidities such as cardiovascular disease, diabetes, cancer, kidney failure, liver disease and depression. Results from the latest National Health and Nutrition Examination Survey (NHANES), indicate that an estimated 5.7% of U.S. adults aged 20 years and over are extremely obese. Considerations for extremely obese individuals are critical when planning for emergency preparedness, response, and recovery, as they will require more resources and may present significant logistical challenges in patient transport and patient care.

Bariatric beds: ensure adequate dimensions, weight capacity. Bariatric beds may also be utilized for transport purposes.



# WCSIP

## Safety

- Friction Welded (Spun) Tubular Ends
- Heavy Duty Leg Locks
- Reinforced Vinyl Coated Decking
- Antimicrobial Soil Resistant Triple Layer Vinyl Mattress
- Antimicrobial Soil Resistant Decking Material
- Easy to Decontaminate
- All Materials Exceed FED STD 1633 for Flammability
- Anti-Tilt stabilizing design prevents tipping
- ADA Compliant
- Safety and Instructional Labeling

## Comfort & Client Benefits

- 5 Position Head Elevator with Locking Cord
- 2" Convuluted Foam Mattress
- Customizable Sleeping Surface
- 18" Wheelchair Transferrable Height
- Spring and Deck Design
- Combined Spring Stretch Resistance of 5,472 Lbs.
- Increase Responder Efficiency

## Convenience

- Lightweight Rust Proof Aluminum Frame
- Stores Securely for Rapid Deployment

## Application

- Responder Comfort, Staff Emergency, Surge Capacity, Private Security, Troop Support, & **Leisure**

In 2018, IMS introduced the Westcot Shelter in Place (WCSIP) to ensure First Responders were also accounted for in equal care planning programs. A well-rested Responder is more effective. WCSIP is a budget conscious design which encompasses the quality, comfort, and safety of a standard Westcot.

(Integrity Medical Solutions, Inc.)



## Dimensions

- 42 x 32 x 7" (Stored)
- 80 x 32 x 18" (Deployed)
- 27 Lb. Weight
- 450 Lb. Working Capacity



# WCATSIP8P



*Reduce Responder Injury, Increase Deployment Efficiency, Protect Your Investment*



The Westcot All Terrain Shelter in Place 8 Person (WCATSIP8P) was designed with Responder safety at the epicenter of IMS' focus. There are eight Westcot Shelter in Place Cots (WCSIP) paired inside of four Westcot Rapid Deployment Bags (WCRDBSIP), stored inside of a Heavy Duty Mobilized Storage Rack. WCATSIP8P enables rapid deployment of essential Shelter in Place Cots (WCSIP) and equipment to nearly any environment. The Westcot AT8 heavy-duty deployment cart outfitted with four foam filled pneumatic all-terrain casters allows for fluid movement, and zero deflation concerns. Two of the all-terrain casters afford high strength locking systems which increase operational safety.

The WCSIP are designed to provide compassionate care for those tasked with caring for displaced populations. The WCRDBSIP are designed to Reduce Responder Injuries, Increase Deployment Efficiency, and Protect your Westcot investment. The entire system is covered in a Triple Layer Vinyl which is antimicrobial, soil resistant, and puncture resistant.

**WCATSIP8P Dimensions / Total Loaded Weight: 39 x 43 x 74" / 458 Lbs.**

**WCSIP Dimensions / Weight: 80 x 32 x 18" (Capacity 450 Lbs.) / 40 x 34 x 8" (28 Lbs. Each)**

**WCRDBSIP2 – Rapid Deployment Bags (Packs 2 x WCSIP + Enables Proper Lifting + Rapid Deployment)**

**WCDLP – 1 Fitted Sheet, 1 Flat Sheet, 1 Blanket, 1 Pillow Case, 1 Pillow packed inside of each cot**



# Bariatric Patient Care (WCBPC)

## Dimensions

42 x 38 x 6" (Stored)  
82 x 38 x 21" (Deployed)  
36 Lb. Weight  
700 Lb. Working Capacity

## Safety

Exceeds IMS Settle Load Testing +5,000 Cycles (750 Lbs)  
Friction Welded (Spun) Tubular Ends  
Heavy Duty Leg Locks  
Reinforced Vinyl Coated Decking  
Antimicrobial Soil Resistant Triple Layer Vinyl Mattress  
Antimicrobial Soil Resistant Decking Material  
Easy to Decontaminate  
All Materials Exceed FED STD 1633 for Flammability  
Safety and Instructional Labeling  
Anti-Tilt stabilizing design prevents tipping  
Optional Anti-Slip Feet

## Comfort & Client Benefits

2" Convoluted Foam Mattress  
Customizable Sleeping Surface  
Easy Entry Height of 22"  
Spring and Deck Design  
Combined Spring Stretch Resistance of 9,576 Lbs.

## Convenience

Lightweight Rust Proof Aluminum Frame  
Stores Securely for Rapid Deployment  
Optional Stow On Board IV Pole

## Application

Above average body types, Pregnant Woman Comfort,  
Mass Care, Surge Capacity, Hospital Surge Capacity  
Programs, & Field Medical Hospital

Under the Americans with Disabilities Act (ADA), children and adults with disabilities are entitled to equal opportunity to participate in programs, services, and activities in the most integrated setting.

(FEMA FNSS-Guidance)



WESTCOT™



WESTCOT™



WESTCOT™





# Bariatric Shelter in Place 6 Person (WCBSIP6P)

## Introduction

The WCBSIP6P was developed to mitigate Preparedness and Response efforts. This package has three primary objectives:

1. Reduce Responder injury, by promoting proper lifting techniques.
2. Increase deployment efficiency, by reducing response shelter activation time.
3. Protect your investments via the durable packaging

## Includes

6 Bariatric Shelter in Place Cots  
6 Rapid Deployment Bags  
18 Disposable Linen Packs 33 Lb. (Individual Cot Weight)  
1 Westcart Storage/Deployment Cart  
1 Vinyl Dust Cover  
System Dimensions: 42.5 x 42.5 x 49" @ 320 lbs.

## Safety

700 Lb. Working Capacity  
Friction Welded (Spun) Tubular Ends  
Heavy Duty Leg Locks  
Reinforced Vinyl Coated Decking  
Wide Patient Restraint Belt  
Antimicrobial Soil Resistant Triple Layer Vinyl Mattress  
Antimicrobial Soil Resistant Decking Material - Easy Decon.!  
All Materials Exceed FED STD 1633 for Flammability  
Safety and Instructional Labeling

## Comfort & Client Benefits

2" Convoluted Foam Mattress  
Customizable Sleeping Surface  
Easy Entry Height of 22"  
Spring and Deck Design (Reduces Bed Soars)  
Combined Spring Stretch Resistance of 9,576 Lbs.

## Convenience

Lightweight Rust Proof Aluminum Frame  
Stores Securely for Rapid Deployment  
Elevate Client's Upper Body  
Optional Safety Rails  
Optional Stow On Board IV Pole  
Optional Linens

## Application

Above Average Body Types and/or Weight Shelter Clients,  
Shelter in Place, Pregnant Woman Comfort, Mass Care, Surge Capacity, & Hospital Surge Capacity Programs.



WESTCOT™



WESTCOT™



WESTCOT™



# Westcot Toddler Cot WCTCSR

## Dimensions

47 x 24 x 10" (Deployed)  
24 x 24 x 6" (Stored)  
14 Lb. Weight  
150 Lb. Working Capacity

## Safety

Exceeds IMS Settle Load Testing at 5,000 Cycles (x 150 Lbs.)  
Friction Welded (Spun) Tubular Ends  
Heavy Duty Leg Locks  
Anti-Tilts (Stabilizing Bars)  
Stow On Board Safety Rails  
Non-Slip Foot Attachments

Reinforced Vinyl Coated Decking  
Antimicrobial Soil Resistant Triple Layer Vinyl Mattress  
Easy to Decontaminate  
All Materials Exceed FED STD 1633 for Flammability  
Safety and Instructional Labeling

## Comfort & Client Benefits

2" Convoluted Foam Mattress  
Customizable Sleeping Surface  
Spring and Deck Design Provides Superior Comfort  
Combined Spring Stretch Resistance of 3,520 Lbs.

## Convenience

Lightweight Rust Proof Aluminum Frame Stores Securely for  
Rapid Deployment

## Application

Displaced Children, Detention Facilities, General Population  
Shelters, Special Needs Shelters



## 2019 National Detention Standards for Non-Dedicated Facilities states;

Examples of "reasonable accommodations" include, but are not limited to, proper medication and medical treatment; accessible housing, toilet, and shower facilities; devices like bed transfer, accessible beds or shower chairs, hearing aids, or canes; and assistance with toileting and hygiene.

(Immigration and Customs Enforcement, 2019)





## Westcot Baby Crib WCPC

### Dimensions

34 x 34 x 14-28" (Deployed)

34 x 34 x 4" (Stored)

5 Lb. (Weight)

2 Per Carton

### Safety

The Westcot Pedi-Crib (WCPC) is manufactured with safety at the epicenter of IMS' focus. The aluminum tube ends are friction welded to eliminate the potential for injury. The WCPC securely attaches to most Westcots with safety rail brackets and four durable tubular poles. As a secondary measure, IMS has included a crib securing strap in the build. This crib securing strap wraps around the Westcot base and holds the Crib Firmly to the Westcot. Two Crib can be attached to one Westcot which minimizes the footprint of this system.

The Westcot side leg mounted stabilizing bars prevent the joined structures from tipping during deployment scenarios. IMS also provides non-slip foot attachments that secure to the Westcot and prevent slipping and sliding of the Westcots across your shelter floor. And, all Materials Exceed FED STD 1633 for Flammability Safety and Instructional Labeling.

### Comfort & Client Benefits

The 2" convoluted foam mattress is antimicrobial, soil resistant, and puncture resistant. The WCPC provides a deep pocket which protects most 0-18 month old babies from injury, while they temporarily reside in emergency shelters post catastrophic event(s).

### Convenience

The accordion style design allows for quick deployment and compact storage. Lightweight Rust Proof Aluminum Frame Stores Securely for Rapid Deployment



  
WESTCOT™



# Patient Transport Unit (WCPTU)

## Dimensions

42 x 28 x 10" (Stored)  
80 x 28 x 28" (Deployed)  
44 Lb. Weight  
350 Lb. Working Capacity

## Safety

Exceeds IMS Settle Load Testing at 5,000 Cycles @ 375 Lbs.  
Friction Welded (Spun) Tubular Ends  
Heavy Duty Leg Locks  
Reinforced Vinyl Coated Decking  
Wide Patient Restraint Belt  
Antimicrobial Soil Resistant Triple Layer Vinyl Mattress  
Antimicrobial Soil Resistant Decking Material  
Easy to Decontaminate  
All Materials Exceed FED STD 1633 for Flammability  
Safety and Instructional Labeling

## Comfort & Client Benefits


5 Position Head Elevator with Locking Cord  
2 Position Trendelenburg Foot Elevator  
2" Convoluted Foam Mattress  
Customizable Sleeping Surface  
Spring and Deck Design  
Combined Spring Stretch Resistance of 5,472 Lbs.

## Convenience

X-Axis 360 Rotation (2 Swivel/Locking, 2 Straight, 2 Swivel)  
Lightweight Rust Proof Aluminum Frame  
Stores Securely for Rapid Deployment  
Optional Stow on Board Safety Rails  
Optional Stow On Board IV Pole

## Application

Indoor Use Only: Hospital Surge Capacity Programs, Special  
Needs Transport, & Field Medical Hospital Support



# Off the Ground Cot (OGC)

## Dimensions

36 x 28 x 4.5" (Stored)  
72 x 28 x 15" (Deployed)  
9.6 Lb. Curb Weight  
250 Lb. Static Capacity

## Safety

Reinforced Vinyl Coated Decking  
Antimicrobial Soil Resistant Decking Material  
Easy to Decontaminate  
All Materials Exceed FED STD 1633 for Flammability

## Comfort & Client Benefits

Wrapped Canvas Design

## Convenience

Lightweight Rust Proof Aluminum Frame  
Stores Securely for Rapid Deployment


## Application

MEGA-Shelters, General Population, International Aide,  
Budget Friendly

**Availability based on quantity**



**IMS is an Equal Opportunity Employer**



## MEGA-Shelter Planning Guide A Resource and Best Practice Reference Guide

General population shelter - Serves everyone in the community that does not require the level of medical care provided by a Federal Medical Station (FMS) and/or a State/locally operated medical support shelter.

Mega-shelter - Generally necessary when the number of people requiring shelter support is large and extensive damage to structures and community infrastructure limits sheltering options and results in longer shelter operational periods (*p. 14*)

(International Association of Venue Management  
& The American Red Cross)

# General Use Cot (WCGUC)

## Dimensions

42 x 32 x 6" (Stored)  
80 x 32 x 22" (Deployed)  
22 Lb. Weight  
450 Lb. Working Capacity

## Safety

Exceeds IMS Settle Load Testing at 15,000 Cycles (x 450 Lbs.)  
Friction Welded (Spun) Tubular Ends  
Heavy Duty Leg Locks  
Reinforced Vinyl Coated Decking  
Antimicrobial Soil Resistant Triple Layer Vinyl Mattress  
Antimicrobial Soil Resistant Decking Material  
Easy to Decontaminate  
All Materials Exceed FED STD 1633 for Flammability  
Safety and Instructional Labeling

## Comfort & Client Benefits

2" Convoluted Foam Mattress  
Customizable Sleeping Surface  
Wheelchair Transferable Height – 18"  
Spring and Deck Design (Reduces Bed Soars / Maximizes Comfort)  
Combined Spring Stretch Resistance of 5,472 Lbs.

## Convenience

Lightweight Rust Proof Aluminum Frame  
Stores Securely for Rapid Deployment

## Application

Mass Care, Surge Capacity Programs, General Populations,  
Homeless Sheltering Operations, Budget Friendly



Sheltering survivors falls under emergency protective measures, which must "Eliminate or lessen immediate threats to life, public health or safety; or eliminate or lessen immediate threats of significant additional damage to improved public or private property..." (44 CFR §206.225 (a)(3))

(SC Emergency Management Division)





# Westcart Rolling Storage and Deployment Racks

IMS offers multiple storage and inventory mobilization solutions for our Agency Partners. There is a Westcart for every Westcot and many more. All of our Westcarts are constructed of Laser Cut, Heavy-Duty Steel that is finished with a durable powder coated finish. All Westcarts have an available All-Terrain Package Upgrade.

(Ims4beds.com)

## Westcart Benefits:

Laser Cut components – no sharp edges  
 Welded Steel Construction  
 Baked on Powder Coated Textured Finish  
 Westcart Trailer Height Cart (WCRT T9)  
 2 Fixed & 2 Swivel Casters  
 Westcarts are secured to pallets when shipped LTL (Less than Truckload) or floor loaded when full truck loads as needed.  
 Empty Rack Weight is on average 155 lbs.  
 Triple Layer Vinyl Dust Covers are Antimicrobial, Soil, and Puncture Resistant, and they can be marked for identification.  
 Custom Designed Available



Item Number	WCR8	WCRT9	WCR10	WCRBPC	WCRTod	Caster Upgrade
Width x Depth x Height	38.5x42.5x82"	38.5x42.5x 68"	38.5x42.5x82"	42.5x42.5x49"	pending	+7" Height
Number Shelves	4	4	5	1	pending	
Bed Model						
Westcot FNC, EDS, SIP	0	8	10	0	0	
Westcot APC	8	0	0	0	0	
estcot GUC	0	12	15	0	0	
Westcot Toddler	0	0	0	0	10	
Westcot BPC	0	0	0	6	0	
Westcot BSN	0	0	0	5	0	

## Trailer System Packages w/Endless Options



### *Prepare*



### *Respond*



In 2019, IMS introduced turn key solutions for multiple agency programs. IMS' staff will work directly with agency partners to configure system(s) which deliver mission essential equipment to your readiness site ahead of any storm. A mobilized rapid response system that seconds as a storage facility for your critical support equipment will greatly reduce the effort and time associated with shelter activations.

(ims4beds.com)





## Product Specifications: Westcot Linen Pack

The Westcot™ Disposable Linen Packs (WCDLP) contain 1 fitted sheet, 1 flat sheet, 1 blanket, 1 pillow, 1 pillow case, all consolidated into one zip lock bag to prevent cross contamination prior to use. The WCDLP are available individually, 10 per carton, or 200 per pallet (20 cartons).

The Westcot™ Bariatric Disposable Linen Packs Bariatric (WCBDL) contain 1 fitted sheet, 1 flat sheet, 1 blanket, 1 pillow, 1 pillow case, all consolidated into one zip lock bag to prevent cross contamination prior to use. The WCBDL are available individually, 8 per carton, 160 per pallet (20 cartons).



Custom sizes and Cot Covers are also available

Replacement Parts or Accessories: 855.505.9267 / [Sales@IntegrityMedicalSolutions.com](mailto:Sales@IntegrityMedicalSolutions.com)





## **Reference Page**

**South Carolina Emergency Management Division. (2019). South Carolina Emergency Operations Plan. South Carolina Hurricane Plan. South Carolina Regulatory Committee.**

**U.S. Department of Homeland Security. (2019). 2019 National Preparedness Report. Center for Homeland Defense and Security. Naval Postgraduate School.**

**U.S. Department of Health and Human Services. Office of the Assistant Secretary for Preparedness and Response. Planning Considerations for the Extremely Obese in Disasters and Public Health Emergencies. (2003). ASPR Division of At-Risk Individuals, Behavioral Health, and Community Resilience (ABC).**

**U.S Department of Homeland Security. Federal Emergency Management Agency. (2010). Guidance of Planning for Integration of Functional Needs Support Services in General Population Shelters. BCFS Health and Human Services, San Antonio, Texas.**

**U.S. Immigration and Customs Enforcement. National Detention Standards for Non-Dedicated Facilities. (Revised 2019).**

**International Association of Venue Managers, Inc. & American Red Cross. (2010). MEGA-Shelter Planning guide (A Resource and Best Practices Reference Guide. A Curriculum of the Academy for Venue Safety & Security**

*Page Intentionally Left Blank*



**Tube Enterprises, Inc. dba Integrity Medical Solutions, Inc.**

**TID #: 20-1590871 / 20-4604067**

**704.692.5417 (M)**

**855.505.9267 (TF)**

**SALES@INTEGRITYMEDICALSOLUTIONS.COM**

**IMS4BEDS.COM**

**DUNS # 144934929**

**CAGE CODE # 8A0Q5**